

SAFETY DATA SHEET

Revision Date : 18 August 2020

Product Name	: 1140VC
Product Type	: Polypropylene Homopolymer Plastic Resin
Product Use	: Injection application
Manufacturer	: IRPC Public Company Limited
	299 Moo. 5 Sukhumvit Road, Amphur Muang, Rayong THAILAND
Emergency Call	: +66(0) 38802560
Website	: www.irpc.co.th, https://polimaxx.irpc.co.th

Section 2 – Hazards Identification

Section 1 – Identification

Classification according to Regulation (EC) No. 1272/2008 (CLP) and GHS Classification :

This product is not classified as dangerous according to Regulation (EC) No 1272/2008 and GHS **Pictogram :** Not Applicable

netogram netrippicable

Signal Word : Not applicable

Hazard Statement :

Precautionary Statement :

Section 3 – Composition / Information on Ingredients

Chemical Name	CAS Number	EC Number	Percent weight
Polypropylene	9003-07-0	Polymer	>=99



1

555/2 ศูนย์เอนเมอร์ยี่คอมเพล็กซ์ อาคาร บี เชิ่น 6 กนนอีกาวดีรับสิต เขวงจตุจักร เขตจตุจักร กรุงเทพ 4 10900 โกร. +66(0)2765-7000, 66(0)2765-7777 เพ็กซ์: +66(0)2765-7002-5 IRPC Public Company Limited



Section 4 – First-aid Measures

Section 4 - First-alu M			
Skin Exposure	: If molten material comes in contact with the skin, cool under ice water or a running stream of water.DO NOT attempt to remove the material from the skin.Remove could result in serve tissue damage.Get medical attention.		
Eyes Exposure	: If molten material should splash into eyes, flush eyes immediately with fresh water for 15 minutes while holding the eyelid open.Remove contact lenses, if worn.Get immediate medical attention.		
Inhalation	: Move the exposed person to fresh air. If breathing is difficult, give oxygen. Get medical attention if breathing difficulties continue.		
Ingestion	: Not a probable route of exposure. If person is conscious, rinse mouth with water. Do not induce vomiting unless directed to do so by a physician. Seek medical advice.		
Section 5 – Fire-fightir	ig Measures		
Suitable extinguishin	g agents : Dry chemical, foam, water fog or carbon dioxide. Avoid using direct streams of water on molten burning material.		
Hazards during fire-fi	ghting : Carbon monoxide, carbon dioxide, original monomer other hydrocarbon oxidation products.		
Protective equipment	: Use a mask with universal filler. Use self-contained breathing apparatus and full protective clothing.		
Section 6 – Accidental	Release Measures		
Personal precautions	: Avoid inhalation and direct contact with molten material.		
Environmental preca	utions : Discharge into the environment must be avoided.		
Cleanup :			
vacuum).Place waste in a	using a method that minimizes dust generation (e.g., wet methods, HEPA an appropriate container for disposal.Use care during clean-up to avoid exposure y from broken containers.		
Section 7 – Handling a	nd Storage		
Handling	: Use with adequate ventilation.Avoid dust generation.Accumulations of dust should be removed from settling areas.		
Storage conditions	: Store in a cool, dry, well-ventilated area or silo away from sources of heat, flame and sparks.Ventilate enclosed storage areas, such as trailers and railcars, before entering.		



2

555/2 ศูนย์เอนเนอร์ยี่คอนเพล็กษ์ อาคาร บี เช้น 6 กนนอีกาวดีรับสิต แขวงอตุจักร เขตอตุจักร กรุงเทพฯ 10900 โกร. +66(0)2765-7000, 66(0)2765-7777 แฟ็กษ์: +66(0)2765-7002-5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangait Road, Chatuchak, Bangkok 10900 THAILAND. TEL:+66(0)2765-7000, 66(0)2765-7777 FAX: +66(0)2765-7002-5 www.irpc.co.th.www.irpcmarket.com



Section 8 – Exposure Controls / Personal Protection

Exposure limits : No exposure limit value known

Personal protective equipment

Respiratory protection	: No special respiration protection is normally required.
Eye protection	: Chemical workers goggles recommended.
Protective clothing	: Gloves required when handling hot material. In case of fire, wear MSHA/NIOSH approved self-contained breathing apparatus or equivalent and full protective gear.
Ventilation	: Provide adequate ventilation when processing material at elevated temperatures.
Other protective equipment	: Ensure that eyewash stations and safety showers are proximal to the work-station location.
Engineering Controls	: For molten materials: Provide mechanical ventilation; in general such ventilation should be provided at compounding/ converting areas and at fabricating/filling work stations where the material is heated.Local exhaust ventilation should be used over and in the vicinity of machinery involved in handling the molten material.



3

555/2 ศูนย์เอนเนอร์ยี่คอนเพล็กษ์ อาคาร บี เช้น 6 กนนอีกาวดีรับสิต แขวงอตุจักร เขตอตุจักร กรุงเทพฯ 10900 โกร. +66(0)2765-7000, 66(0)2765-7777 แฟ็กษ์: +66(0)2765-7002-5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangait Road, Chatuchak, Bangkok 10900 THAILAND. TEL:+66(0)2765-7000, 66(0)2765-7777 FAX: +66(0)2765-7002-5 www.irpc.co.th.www.irpcmarket.com



Section 9 - Physical and Chemical Properties

Apprearance	: Opaque, translucent, colorless pellets
Odour	: Slightly waxy odor
Colour	: Not Applicable
Boiling Point	: Not Applicale
Initial Boiling Point	: Not Applicable
Flash Point	: Not Applicable
Melting Point	: >120°C
Vapour Pressure	: Not Applicale
Auto ignition temperature	: Not Applicable
Solubility	: Insolublein water
Viscosity	: Not Applicale
Upper/Lower flammability or explosive limit	: Not Applicable
рН	: Not Applicable
Relative density	: Not Applicable
Vapour density	: Not Applicable
Partition characteristics	: Not Applicable
Specific Gravity	: Not Applicable
Partition coefficient: n-octanol/water	: Not Applicable
Decomposition temperature	: Not Applicable
Explosive properties	: Not Applicable
	:

Section 10 – Stability and Reactivity		
Stability	: This material is considered a stable thermoplastic, with no chemical reactivity under normal ambient and anticipated handling conditions of temperature and pressure.	
Condition to Avoid	: Avoid heating above the recommended processing temperature.	
Material to Avoid	: May react with strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.May react with free halogens.	
Dangerous decompositio	n : Small quantities of low molecular weight hydrocarbons, carboxylic acids, carbon oxides can be formed during thermal processing.	



4

555/2 GUEIOUIUOSÉIAOUIWAINS OTATS Ü BU 6 NUUDITTTÄSDAR 1800000075 KIETORIOTTS INSUTIVI 10900 Ins. +66(0) 2765-7000, 66(0) 2765-7777 IIWIND: +66(0) 2765-7002-5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL:+66(0) 2765-7000, 66(0) 2765-7777 FAX:+66(0) 2765-7002-5 www.irpc.co.th. www.irpcmarket.com

POLIMAXX

Section 11 – Toxicological Information		
Acute Toxicity : No relevant studies found.		
Irritating/corrosive effects		
e Irritation : Solid particles may cause transient irritation from mechanical abrasion.		
in Irritation : Molten material may cause thermal burns.		
halation : Process fumes may cause irritation.		
gestion : May cause a choking hazard if swallowed.		
Section 12 – Ecological Information		
Eco-toxicity : No relevant studies found.		
ersistence and degradability : This material is not expected to be readily biodegradable.		
io-accumulative potential : Product is not likely to accumulate in biological organisms.		
obility in soil : No relevant studies identified.		
ther adverse effects : No data available.		
Section 13 – Disposal Considerations		

Disposal methods:

. .

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. Observe all label safeguards until containers are cleaned and destroyed.

Section 1	4 – Transport	Information
-----------	---------------	-------------

Regulatory information	UN number	Classes	Packing group	Label	Additional information
DOT	Not regulated	-	-	-	
ADR/RID	Not regulated	-	-	-	
IMDG CODE	Not regulated	-	-	-	
ICAO/IATA	Not regulated	-	-	-	



5

555/2 ศูนย์เอนเบอร์ยี่คอมเพล็กซ์ อาการ บี้ เชิ่ม 6 กนนวิกาวดีรับสิต เขวงจิตุจักร เขตจิตุจักร กรุงเทพฯ 10900 โกร. +66(0)2765-7000, 66(0)2765-7777 เพ็กซ์: +66(0)2765-7002-5 IRPC Public Company Limited



Section 15 – Regulatory Information

US Toxic Substances Control Act

All components of this product are on the TSCA Inventory.

European Inventory of Existing Commercial Chemical Substances (EINECS)

The components of this product are on the EINECS inventory or are exempt from inventory requirements.

Canada - WHMIS

Material is not controlled under WHMIS.

ADR	: European agreement concerning the international carriage of dangerous goods by road.		
CLP	: Classification and Labeling of Packaging		
DOT	: Department of Transportation		
GHS	: Globally Harmonized System of Classification and Labeling of Chemicals		
HMIS	: Hazardous Materials Identification System		
IATA	: International air transport association		
ICAO	: International Civil Aviation Organization		
IMDG-CODE	: International maritime dangerous goods code		
NFPA	: National Fire Protection Association		
RID	: Regulations concerning the international carriage of dangerous goods by rail.		
WHMIS	: Workplace Hazardous Materials Information System		
NFPA – USA			
Health : 0	Flammability : 1 Reactivity : 0		
HMIS			
Health : 0	Flammability : 1 Reactivity : 0		
SDS Information			
GHS Revision : 7			
Revision Date : 18/08/2	2020		

Print Date : 27/01/2021 11:36:58

The information above is believed to be accurate and represents the best of our knowledge, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.



6

555/2 ศูนย์เอนเบอร์ยี่คอมเพล็กซ์ อาคาร บี เช้น 6 กนนอีกาวดีรับสิต แขวงอตุจักร เขตอตุจักร กรุงเทพฯ 10900 โกร. +66(0) 2765-7000, 66(0) 2765-7777 แฟ็กซ์: +66(0) 2765-7002-5 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL: +66(0) 2765-7000, 66(0) 2765-7777 FAX: +66(0) 2765-7002-5 www.irpc.co.th. www.irpcmarket.com